A Study of Secukinumab to Evaluate Maintenance of Response in Participants With Non-radiographic Axial Spondyloarthritis Who Achieved Remission

Last Update: Jul 29, 2025

A Multicenter Study of Secukinumab, With a Randomized Double-blind, Placebo-controlled Withdrawal-retreatment Period, to Evaluate Maintenance of Response in Participants With Non-radiographic Axial Spondyloarthritis Who Achieved Remission

ClinicalTrials.gov Identifier:

NCT05622708

Novartis Reference Number: CAIN457I2401

See if you Pre-qualify

All compounds are either investigational or being studied for (a) new use(s). Efficacy and safety have not been established. There is no guarantee that they will become commercially available for the use(s) under investigation.

Study Description

This study will establish whether prolonged chronic dosing with secukinumab is needed in participants with Non-radiographic axial spondyloarthritis, (nr-axSpA) who have achieved remission. Remission is defined as Ankylosing Spondylitis Disease Activity Score - C-reactive protein (ASDAS-CRP) Inactive Disease (ID) response (ASDAS-CRP \< 1.3). Maintenance of remission on continued secukinumab treatment will be evaluated compared to placebo using a randomized withdrawal design. The primary outcome measure for this study is the proportion of participants remaining flare-free at Week 120. This study will establish whether prolonged chronic dosing with secukinumab is needed in participants with nr-axSpA who have achieved remission. Remission is defined as Ankylosing Spondylitis Disease Activity Score - C-reactive protein (ASDAS-CRP) Inactive Disease (ID) response Inactive Disease (ID) response (ASDAS-CRP \< 1.3). The maintenance of remission on continued secukinumab treatment will be evaluated compared to placebo using a randomized withdrawal design. The primary outcome measure for this study is the proportion of participants remaining flare-free at Week 120.

Study treatment will be as follows:

- * Open-label Secukinumab PFS (prefilled syringe) will be labeled as AIN457 150mg/1mL
- * Double-blind Secukinumab and Placebo PFS will be labeled as AIN457 150mg/1mL/Placebo.

Study duration will be up to 128 weeks from Baseline.

The treatment duration will be up to 120 weeks with last treatment administration at Week 116.

In the Treatment Period 1 participant will attend a site visit approximately 1 month after Baseline and approximately every 12 weeks thereafter. In the Treatment Period 2 participant will attend site visits approximately every 4 weeks.

Condition

Non-radiographic Axial Spondyloarthritis

Phase

Phase4

Overall Status

Recruiting

Number of Participants

340

Start Date

Mar 28, 2023

Completion Date

Jun 21, 2030

Gender

ΑII

Age(s)

18 Years - 100 Years (Adult, Older Adult)

Interventions

Drug

Placebo

Treatment Period 2: Double-blind placebo PFS s.c. every 4 weeks from Week 56 to Week 116. Drug

Secukinumab

Treatment Period 2: Double-blind secukinumab 150 mg PFS s.c. every 4 weeks from Week 56 to Week 116. Escape re-treatment (during Treatment Period 2): Open-label secukinumab 150 mg PFS s.c.

Eligibility Criteria

Inclusion Criteria:

- * Male or non-pregnant, non-lactating female participants at least 18 years of age
- * Clinical diagnosis of axSpA AND according to ASAS axSpA criteria:
- 1. Inflammatory back pain for at least 6 months
- 2. Onset before 45 years of age
- 3. Sacroiliitis on MRI (magnetic resonance imaging) (as assessed by central reader) with ≥ 1 SpA feature OR HLA-B-27 positive with ≥2 SpA features
- * Objective signs of inflammation at screening, evident by either MRI with Sacroiliac Joint inflammation (as assessed by central reader) AND / OR hsCRP \> ULN (as defined by the central lab)
- * Active axSpA as assessed by total BASDAI ≥ 4 cm (0-10 cm) at baseline.
- * Spinal pain as measured by BASDAI question #2 ≥ 4 cm (0-10 cm) at baseline.
- * Total back pain as measured by VAS (visual analog scale) ≥ 40 mm (0-100 mm) at baseline.
- * Participants should have been on at least 2 different NSAIDs (non-steroidal anti-inflammatory drugs) at the highest recommended dose for at least 4 weeks in total prior to baseline with an inadequate response or failure to respond, or less if therapy had to be withdrawn due to intolerance, toxicity or contraindications.

2/13

Exclusion Criteria:

- * Participants with radiographic evidence for sacroiliitis, grade ≥ 2 bilaterally or grade ≥ 3 unilaterally (radiological criterion according to the modified New York diagnostic criteria for AS) as assessed by central reader.
- * Participants taking high potency opioid analgesics (e.g., methadone, hydromorphone, morphine).
- * Previous exposure to secukinumab or any other biologic drug directly targeting IL-17 or IL-17 receptor or previous treatment with immunomodulatory biologic agents including those targeting TNF α (tumor necrosis factor α) (unless participants discontinued the treatment with TNF α inhibitor due to a reason other than efficacy [primary or secondary lack of efficacy, inadequate response] and only after appropriate wash-out period prior to baseline was observed).
- * History of hypersensitivity to the study drug or its excipients or to drugs of similar chemical classes.
- * Active ongoing inflammatory diseases other than nr-axSpA that might confound the evaluation of the benefit of secukinumab therapy, including uveitis.
- * Active inflammatory bowel disease.
- * History of ongoing, chronic or recurrent infectious disease or evidence of tuberculosis infection.

Belgium

Novartis Investigative Site

Recruiting

Bruges,8000,Belgium

Novartis Investigative Site

Recruiting

Genk,3600,Belgium

Novartis Investigative Site

Recruiting

Ghent,9000,Belgium

Novartis Investigative Site

Recruiting

Mons,7000,Belgium

Brazil

Novartis Investigative Site

Recruiting

Barretos, São Paulo, 14784 400, Brazil

Novartis Investigative Site

Recruiting
Juiz de Fora,MG,36010 570,Brazil
Novartis Investigative Site
Recruiting
Porto Alegre,RS,90480-000,Brazil
Colombia
Novartis Investigative Site
Recruiting
Barranquilla, Atlántico, 080020, Colombia
Novartis Investigative Site
Recruiting
Bogota, Cundinamarca, 110111, Colombia
Novartis Investigative Site
Recruiting
Chia, Cundinamarca, 250001, Colombia
Novartis Investigative Site
Recruiting
Bucaramanga,Santander Department,0001,Colombia
Novartis Investigative Site
Recruiting
Bogotá,110221,Colombia
Czechia
Novartis Investigative Site
Recruiting
Uherské Hradiště,686 01,Czechia
Novartis Investigative Site

Praha,150 06,Czechia **Novartis Investigative Site** Recruiting Prague,14900,Czechia **Novartis Investigative Site** Recruiting Praha 2,128 50,Czechia **France Novartis Investigative Site** Recruiting Chambray-lès-Tours,37170,France **Novartis Investigative Site** Recruiting Toulouse,31059,France **Novartis Investigative Site** Recruiting Paris,75012,France **Novartis Investigative Site** Recruiting Le Mans,72000,France **Novartis Investigative Site** Recruiting Nice,06001,France **Novartis Investigative Site** Recruiting Orleans,45100,France Germany

Novartis Investigative Site
Recruiting
Ludwigshafen,67063,Germany
Novartis Investigative Site
Recruiting
Magdeburg,39110,Germany
Novartis Investigative Site
Recruiting
Bad Doberan,18209,Germany
Novartis Investigative Site
Recruiting
Ratingen,40878,Germany
Novartis Investigative Site
Recruiting
Berlin,12161,Germany
Novartis Investigative Site
Recruiting
Freiburg,79106,Germany
Novartis Investigative Site
Recruiting
Berlin,13353,Germany
6/13

Novartis investigative Site

Hamburg,22415,Germany

Novartis Investigative Site

Herne,44649,Germany

Recruiting

Novartis Investigative Site
Recruiting
Berlin,13125,Germany
Hungary
Novartis Investigative Site
Recruiting
Veszprem,8200,Hungary
Novartis Investigative Site
Recruiting
Miskolc,3526,Hungary
Novartis Investigative Site
Recruiting
Budapest,1023,Hungary
Novartis Investigative Site
Recruiting
Debrecen,4032,Hungary
Novartis Investigative Site
Recruiting
Eger,3300,Hungary
Novartis Investigative Site
Recruiting
Kistarcsa,2143,Hungary
Novartis Investigative Site
Recruiting 7/13

Novartis Investigative Site

Rendsburg,24768,Germany

Szeged,6720,Hungary
Novartis Investigative Site
Recruiting
Szekesfehervar,Fejer,8000,Hungary
Israel
Novartis Investigative Site
Recruiting
Tel Aviv,6423906,Israel
Novartis Investigative Site
Recruiting
Haifa,3104802,Israel
Novartis Investigative Site
Recruiting
Kfar Saba,4428164,Israel
Novartis Investigative Site
Recruiting
Ramat Gan,5265601,Israel
Italy
Novartis Investigative Site
Recruiting
Verona,VR,3712,Italy
Novartis Investigative Site
Recruiting
Roma,RM,00161,Italy
Novartis Investigative Site
Recruiting
Firenze,FI,50134,Italy

Novartis Investigative Site
Recruiting
Torino,TO,10128,Italy
Novartis Investigative Site
Recruiting
Milano,MI,20100,Italy
Novartis Investigative Site
Recruiting
Negrar, VR, 37024, Italy
Novartis Investigative Site
Recruiting
Bologna,BO,40136,Italy
Novartis Investigative Site
Recruiting
Ancona,AN,60126,Italy
Malaysia
Novartis Investigative Site
Recruiting
Kuching,Sarawak,93586,Malaysia
Novartis Investigative Site
Recruiting
Kuala Lumpur,59100,Malaysia
Novartis Investigative Site
Recruiting
Selangor Darul Ehsan,68100,Malaysia
Mexico
Novartis Investigative Site

Recruiting
Guadalajara, Jalisco, 44650, Mexico
Novartis Investigative Site
Recruiting
Guadalajara, Jalisco, 44690, Mexico
Novartis Investigative Site
Recruiting
Mérida, Yucatán, 97070, Mexico
Novartis Investigative Site
Recruiting
Chihuahua City,31000,Mexico
Netherlands
Novartis Investigative Site
Recruiting
Maastricht,6229 hx,Netherlands
Novartis Investigative Site
Recruiting
Amsterdam,1105 az,Netherlands
Novartis Investigative Site
Recruiting
Heerlen,6419 pc,Netherlands
Philippines
Novartis Investigative Site
Recruiting
Makati City, National Capital Region, 1218, Philippines
Novartis Investigative Site
Recruiting

Manila,1008,Philippines
Poland
Novartis Investigative Site
Recruiting
Sochaczew,96-500,Poland
Novartis Investigative Site
Recruiting
Warszawa,02 637,Poland
Novartis Investigative Site
Recruiting
Torun,87-100,Poland
Novartis Investigative Site
Recruiting
Krakow,Lesser Poland Voivodeship,30-727,Poland
Novartis Investigative Site
Recruiting
Bialystok,15-351,Poland
Novartis Investigative Site
Recruiting
Bydgoszcz,85 168,Poland
Novartis Investigative Site
Recruiting
Krakow,30 002,Poland
Romania
Novartis Investigative Site
Recruiting

Cluj-Napoca,400006,Romania

Novartis Investigative Site
Recruiting
Suceava,727525,Romania
Novartis Investigative Site
Recruiting
Brasov,500283,Romania
Novartis Investigative Site
Recruiting
Bucharest,011055,Romania
Thailand
Novartis Investigative Site
Recruiting
Bangkok,10400,Thailand
Novartis Investigative Site
Recruiting
Bangkok,10700,Thailand
Turkey
Novartis Investigative Site
Recruiting
Konya,42080,Turkey
Novartis Investigative Site
12/13

Novartis Investigative Site

Bucuresti,011172,Romania

Novartis Investigative Site

Sibiu,550245,Romania

Recruiting

Recruiting

Adana,01160,Turkey

Turkey (Türkiye)

Novartis Investigative Site

Recruiting

Adana,01160,Turkey (Türkiye)

Novartis Investigative Site

Recruiting

Konya,42080, Turkey (Türkiye)

Vietnam

Novartis Investigative Site

Recruiting

Ho Chi Minh City, VNM, 700000, Vietnam

Worldwide Contacts

If the location of your choosing does not feature any contact detail, please reach out using the information below.

Novartis Pharmaceuticals

Phone: +41613241111

Email: novartis.email@novartis.com

Source URL: https://prod1.novartis.com/clinicaltrials/study/nct05622708

List of links present in page

- 1. https://clinicaltrials.gov/ct2/show/NCT05622708
- 2. #trial-eligibility
- 3. tel:+41613241111
- 4. mailto:novartis.email@novartis.com